

EFC 120 Cold Displays



SPECIFICATIONS

Width: 702 mm Depth: 568 mm Height: 686 mm Capacity: 120 lt. (Gross) Temperature: 0°C - +12°C

EFC 160 Cold Displays



SPECIFICATIONS

Width: 880 mm
Depth: 568 mm
Height: 686 mm
Capacity:
160 lt. (Gross)
Temperature:
0°C - +12°C

EFC 200/250 Cold Displays



SPECIFICATIONS

W: 1220 / 1525 D: 568 / 588mm Height: 686 mm Capacity: 200 / 268lt.(Gross) Temperature:

EFH 120 Heated Displays



SPECIFICATIONS

Width: 678 mm Depth: 568 mm Height: 686 mm Capacity: 120 lt. (Gross)

Temperature: +30°C - +90°C

EFH 160 Heated Displays



SPECIFICATIONS

Width: 856 mm Depth: 568 mm Height: 686 mm Capacity: 160 lt. (Gross) Temperature:

+30°C - +90°C





SPECIFICATIONS

Width: 1198mm Depth: 570 mm Height: 690 mm Capacity: 200 lt. (Gross) Temperature: +30°C - +90°C

EFS 1800 Cold Displays



SPECIFICATIONS

Width: 1800mm Depth: 335 mm Height: 447 mm Capacity: (GN PAN): 9*1/4 GN Pan Temperature: +2°C - +12°C

EFS 2000 Cold Displays



SPECIFICATIONS

Width: 2000mm Depth: 335 mm Height: 447 mm Capacity: (GN PAN): 10*1/4 GN Pan Temperature: +2°C - +12°C









BB150 ECO BB220 ECO



SPECIFICATIONS

Width: 595 mm Depth: 536 mm Height: 840 mm

Capacity: 123 lt. (Gross)

Temperature: +2°C - +10°C



SPECIFICATIONS

Width: 900 mm Depth: 536 mm Height: 840 mm Capacity: 196 lt. (Gross)

Temperature: +2°C - +10°C

BB320

ECO



SPECIFICATIONS

Width: 1350 mm Depth: 536 mm Height: 840 mm

Capacity: 304 lt. (Gross)

Temperature: +2°C - +10°C



Slim 220

SPECIFICATIONS

Width: 420 mm Depth: 485 mm Height: 1880 mm

Capacity: 220 lt. (Gross)

Temperature:



CB400 Blind

SPECIFICATIONS

Width: 595 mm Depth: 640 mm Height: 1840 mm

Capacity: 358 lt. (Gross)

Temperature:













CB400 Curved

SPECIFICATIONS

Width: 595 mm Depth: 625 mm Height: 1980 mm

Capacity: 372 lt. (Gross)

Temperature: -2°C - +8°C



CB400 SZ

SPECIFICATIONS

Width: 595 mm Depth: 640 mm Height: 1980 mm

Capacity: 368 lt. (Gross)

Temperature: -2°C - +2°C



CB400 ECO

SPECIFICATIONS

Width: 595 mm Depth: 580 mm Height: 1940 mm

Capacity: 380 lt. (Gross)

Temperature: 0°C - +10°C



CB380S Frameless

SPECIFICATIONS

Width: 620 mm Depth: 600 mm Height: 2000mm

Capacity: 380 lt. (Gross)

Temperature: 2°C - +8°C



CB400 D

SPECIFICATIONS

Width: 600 mm Depth: 600 mm Height: 1865mm

Capacity: 382 lt. (Gross)

Temperature: 0°C - +8°C



CB380S 1.8

SPECIFICATIONS

Width: 590 mm Depth: 610 mm Height: 1800 mm

Capacity: 382 lt. (Gross)

Temperature: +2°C - +8°C



CL380S

SPECIFICATIONS

Width: 600 mm Depth: 620 mm Height: 2000 mm

Capacity: 382 lt. (Gross)

Temperature: +2°C - +8°C



CB500 Curved

SPECIFICATIONS

Width: 680 mm Depth: 660 mm Height: 2090 mm

Capacity: 425 lt. (Gross)

Temperature: +2°C - +8°C



CB430 SZ

SPECIFICATIONS

Width: 565 mm Depth: 610 mm Height: 2025 mm

Capacity: 425 lt. (Gross)

Temperature: -2°C - +2°C













CB500 SZ

SPECIFICATIONS

Width: 680 mm Depth: 655 mm Height: 2090 mm

Capacity: 469 lt. (Gross)

Temperature: -2°C - +2°C



CB600 Black

SPECIFICATIONS

Width: 685 mm Depth: 650 mm Height: 2120 mm

Capacity: 519 lt. (Gross)

Temperature: +2°C - +8°C



CB650 Black

SPECIFICATIONS

Width: 700 mm Depth: 690 mm Height: 2060 mm

Capacity: 595 lt. (Gross)

Temperature: +2°C - +8°C



CB700

SPECIFICATIONS

Width: 800 mm Depth: 710 mm Height: 2130 mm

Capacity: 655 lt. (Gross)

2 colors

Temperature: +2°C - +8°C



CB1000 HD

SPECIFICATIONS

Width: 1120 mm Depth: 585 mm Height: 1900 mm

Capacity: 825 lt. (Gross)

Temperature: $+2^{\circ}C - +8^{\circ}C$



CB900 SD

SPECIFICATIONS

Width: 1100 mm Depth: 680 mm Height: 2000 mm

Capacity: 852 lt. (Gross)

Temperature:



CB900 HD

SPECIFICATIONS

Width: 1100 mm Depth: 730 mm Height: 2000 mm

Capacity: 952 lt. (Gross)

2 colors

Temperature:











CB900 HD

SPECIFICATIONS

Width: 1100 mm Depth: 730 mm Height: 2000mm

Capacity: 962 lt. (Gross)

Temperature: +2°C - +8°C



CB1400

SPECIFICATIONS

Width: 1330 mm Depth: 760 mm Height: 1998mm

Capacity: 1400 lt. (Gross)

Temperature: +2°C - +8°C



CB1600 HD

SPECIFICATIONS

Width: 1600 mm Depth: 736 mm Height: 2042 mm

Capacity: 1455 lt. (Gross)

Temperature: +2°C - +8°C



CB1600 HD WOC

SPECIFICATIONS

Width: 1600 mm Depth: 730 mm Height: 2122 mm

Capacity: 1455 lt. (Gross)

Temperature: +2°C - +8°C

CB-150



Width: 1500 mm Depth: 620 mm Height: 800 mm

Capacity: 208 lt. (Gross)

Temperature:



CB-180

SPECIFICATIONS

Width: 1800 mm Depth: 620 mm Height: 800 mm

Capacity: 280 lt. (Gross)

Temperature: -8°C - +8°C











Our Freezers overview!



CL600 2.0m

SPECIFICATIONS

Width: 2050 mm Depth: 630 mm Height: 830mm

Capacity: 672 lt. (Gross)

Temperature:



SPECIFICATIONS

Width: 2050 mm Depth: 630 mm Height: 830 mm

Capacity: 672 lt. (Gross)

Temperature:

with baskets

CBF500H





Width: 1475 mm Depth: 757 mm Height: 858 mm

Capacity: 500 lt. (Gross)

Temperature: ≤-18°C



CBF700H 2.0m

SPECIFICATIONS

Width: 2000 mm Depth: 757 mm Height: 858 mm

Capacity: 700 lt. (Gross)

Temperature: ≤-18°C



CBF400S

SPECIFICATIONS

Width: 640 mm Depth: 670 mm Height: 1875 mm

Capacity: 374 lt. (Gross)

Temperature:



CB500

SPECIFICATIONS

Width: 670 mm Depth: 710 mm Height: 2026 mm

Capacity: 470 lt. (Gross)

Temperature:













Cold Displays

Counter top cooling display ideal for preserving the right temperature of your products like sandwich, salads, fruits etc...

Contains 3 display levels of products and has 2 sliding doors at the back side.

Including an electronic thermostat with special design for anti fog glasses, Led lighting and ECO friendly refrigerant.









| | FEATURES | |
|---|--------------------------|--------------------|
| | DOOR LOCK | |
| | DOOR TYPE | √ 2 Doors/ Sliding |
| ŀ | ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONSUMPTION | |
|---------------------------|--------------|
| CONSUMPTION | 2,79 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ |
| ENERGY LABEL CERTIFICATE | ✓ |

| SPECIFICATIONS | | |
|---------------------|--------------------|-------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 702x568x686 mm |
| CAPACITY | Liters (Gross) | 120 |
| TEMPERATURE | ℃ | 0°C - +12°C |
| SHELVES | | 2 Adjustable |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290 Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|---|------------|
| EXTERNAL CABINET COLOR | • | Black/inox |
| INTERNAL CABINET COLOR | 0 | inox |



Cold Displays



Counter top cooling display ideal for preserving the right temperature of your products like sandwich, salads, fruits etc..

Contains 3 display levels of products and has 2 sliding doors at the back side.

Including an electronic thermostat with special design for anti fog glasses, Led lighting and ECO friendly refrigerant.







| | FEATURES | |
|---|--------------------------|--------------------|
| | DOOR LOCK | |
| | DOOR TYPE | √ 2 Doors/ Sliding |
| ŀ | ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONSUMPTION | |
|---------------------------|--------------|
| CONSUMPTION | 2,84 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ |
| ENERGY LABEL CERTIFICATE | √ |

| | SPECIFICATIONS | | |
|---|---------------------|--------------------|-------------------------------|
| | EXTERNAL DIMENSIONS | Width*Depth*Height | 880x568x686 mm |
| | CAPACITY | Liters (Gross) | 160 |
| ı | TEMPERATURE | ℃ | 0°C - +12°C |
| ı | SHELVES | | 2 Adjustable |
| l | THERMOSTAT | (Digital-Manual) | Electronic |
| | REFIGERANT | | R290 Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|---|------------|
| EXTERNAL CABINET COLOR | • | Black/inox |
| INTERNAL CABINET COLOR | 0 | inox |



Cold Displays



Counter top cooling display ideal for preserving the right temperature of your products like sandwich, salads, fruits etc..

Contains 3 display levels of products and has 2 sliding doors at the back side.

Including an electronic thermostat with special design for anti fog glasses, Led lighting and ECO friendly refrigerant.







| FEATURES | |
|--------------------------|--------------------|
| DOOR LOCK | |
| DOOR TYPE | √ 2 Doors/ Sliding |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONSUMPTION | |
|---------------------------|--------------|
| CONSUMPTION | 3,72 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ |
| ENERGY LABEL CERTIFICATE | √ |


| SPECIFICATIONS | | EFC 200 | EFC 250 |
|---------------------|--------------------|---------------------|-----------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1220x568x686 mm | 1525x588x686 mm |
| CAPACITY | Liters (Gross) | 200 | 268 |
| TEMPERATURE | ℃ | 0℃ - +12℃ | |
| SHELVES | | 2 Adjustable | |
| THERMOSTAT | (Digital-Manual) | Electronic | |
| REFIGERANT | | R290 Environmenta | al friendly |



| COLORS AVAILABILITY | | |
|------------------------|---|------------|
| EXTERNAL CABINET COLOR | • | Black/inox |
| INTERNAL CABINET COLOR | 0 | inox |



Heated Displays



Contains 3 display levels of products and has 2 sliding doors at the back side.

Including a mechanical thermostat, removable tray at the bottom for water and led lighting.









| | FEATURES | |
|---|--------------------------|--------------------|
| | DOOR LOCK | |
| | DOOR TYPE | √ 2 Doors/ Sliding |
| ŀ | ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONSUMPTION | |
|---------------------------|-------|
| INPUT POWER | 1100w |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ |
| ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|----------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 678x568x686 mm |
| CAPACITY | Liters (Gross) | 120 |
| TEMPERATURE | ℃ | 30℃ - 90℃ |
| SHELVES | | 3 Adjustable |
| THERMOSTAT | (Digital-Manual) | Mechanical |
| | | |



| | COLORS AVAILABILITY | | | |
|---|------------------------|---|--------|--|
| | EXTERNAL CABINET COLOR | 0 | inox | |
| I | INTERNAL CABINET COLOR | 0 | inox / | |



Heated Displays



Counter top Heated display ideal for preserving the right temperature of your products like bakery products etch..

Contains 3 display levels of products and has 2 sliding doors at the back side.

Including a mechanical thermostat, removable tray at the bottom for water and led lighting.







| FEATURES | |
|--------------------------|--------------------|
| DOOR LOCK | |
| DOOR TYPE | √ 2 Doors/ Sliding |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------|
| INPUT POWER | 1500w |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ |
| ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|----------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 856x568x686 mm |
| CAPACITY | Liters (Gross) | 160 |
| TEMPERATURE | ℃ | 30℃ - 90℃ |
| SHELVES | | 3 Adjustable |
| THERMOSTAT | (Digital-Manual) | Mechanical |
| | | |



| COLORS AVAILABILITY | | |
|------------------------|---|------|
| EXTERNAL CABINET COLOR | • | inox |
| INTERNAL CABINET COLOR | 0 | inox |



Heated Displays



Counter top Heated display ideal for preserving the right temperature of your products like bakery products etch..

Contains 3 display levels of products and has 2 sliding doors at the back side.

Including a mechanical thermostat, removable tray at the bottom for water and led lighting.







| FEATURES | |
|--------------------------|--------------------|
| DOOR LOCK | |
| DOOR TYPE | √ 2 Doors/ Sliding |
| ENERGY LABEL CERTIFICATE | V |


| TOWARDS LOWER CONSUMPTION | |
|---------------------------|----------|
| INPUT POWER | 1500w |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ |
| ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|-----------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1198x570x690 mm |
| CAPACITY | Liters (Gross) | 200 |
| TEMPERATURE | ℃ | 30℃ - 90℃ |
| SHELVES | | 3 Adjustable |
| THERMOSTAT | (Digital-Manual) | Mechanical |
| | | |



| COLORS AVAILABILITY | | |
|------------------------|---|------|
| EXTERNAL CABINET COLOR | • | inox |
| INTERNAL CABINET COLOR | 0 | inox |





Counter top Salad display ideal for Snacks, Salads with rectangular glass for a better view of the products.

Including electronic thermostat, ECO friendly refrigerant and GN (1/4) trays.


| FEATURES | |
|--------------------------|-----|
| DOOR LOCK | |
| DOOR TYPE | n/a |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|--------------|
| CONSUMPTION | 2,90 kWh/24h |
| LIGHT SWITCH | |
| LOW EMISSIVITY GLASSES | |
| ENERGY LABEL CERTIFICATE | V |

| | SPECIFICATIONS | | |
|---|---------------------|--------------------|-------------------------------|
| ı | EXTERNAL DIMENSIONS | Width*Depth*Height | 1800x335x447 mm |
| ı | CAPACITY | (GN PAN) | 9*1/4 GN Pan |
| ı | TEMPERATURE | ℃ | 2℃ -12℃ |
| ı | SHELVES | | n/a |
| ı | THERMOSTAT | (Digital-Manual) | Electronic |
| ı | REFIGERANT | | R290 Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|---|------|
| EXTERNAL CABINET COLOR | • | inox |
| INTERNAL CABINET COLOR | • | inox |





Counter top Salad display ideal for Snacks, Salads with rectangular glass for a better view of the products.

Including electronic thermostat, ECO friendly refrigerant and GN (1/4) trays.

| FEATURES | |
|--------------------------|-----|
| DOOR LOCK | |
| DOOR TYPE | n/a |
| ENERGY LABEL CERTIFICATE | V |

| | TOWARDS LOWER CONUMPTION | |
|---|--------------------------|--------------|
| | CONSUMPTION | 2,13 kWh/24h |
| | LIGHT SWITCH | |
| П | LOW EMISSIVITY GLASSES | |
| | ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|-------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 2000x335x447 mm |
| CAPACITY | (GN PAN) | 10*1/4 GN Pan |
| TEMPERATURE | °C | 2℃ -12℃ |
| SHELVES | | n/a |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290 Environmental friendly |



| | COLORS AVAILABILITY | | | |
|---|------------------------|---|------|--|
| | EXTERNAL CABINET COLOR | 0 | inox | |
| ı | INTERNAL CABINET COLOR | 0 | inox | |



Back Bar Cooler



A Cooler with low energy consumption

Ideal height for under counter. Including an electronic thermostat to adjust temperature and low-e glasses for lower energy consumption.







| FEATURES | |
|--------------------------|-----------------|
| DOOR LOCK | V |
| DOOR TYPE | √ 1 Door/Hinged |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|--------------|
| CONSUMPTION | 1,40 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | V |
| ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 595x536x840 mm |
| CAPACITY | Liters (Gross) | 123 |
| TEMPERATURE | ℃ | +2°C - +10°C |
| SHELVES | | 2 Adjustable |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R600a Environmental friendly |





| | COLORS AVAILABILITY | | | |
|---|------------------------|---|-----------|--|
| | EXTERNAL CABINET COLOR | • | Black | |
| п | INTERNAL CABINET COLOR | 0 | Aluminium | |



Back Bar Cooler



A Cooler with low energy consumption

Ideal height for under counter. Including an electronic thermostat to adjust temperature and low-e glasses for lower energy consumption.







| FEATURES | |
|--------------------------|--------------------|
| DOOR LOCK | V |
| DOOR TYPE | √ 2 Doors/ Sliding |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|--------------|
| CONSUMPTION | 1,60 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ |
| ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 900x536x840 mm |
| CAPACITY | Liters (Gross) | 196 |
| TEMPERATURE | ℃ | +2°C - +10°C |
| SHELVES | | 4 Adjustable |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R600a Environmental friendly |





| | COLORS AVAILABILITY | | | |
|---|------------------------|---|----------|--|
| | EXTERNAL CABINET COLOR | • | Black | |
| п | INTERNAL CABINET COLOR | 0 | Aluminum | |



Back Bar Cooler









A Cooler with low energy consumption

Ideal height for under counter.

Including an electronic thermostat to adjust temperature and low-e glasses for lower energy consumption.

| FEATURES | |
|--------------------------|-------------------|
| DOOR LOCK | V |
| DOOR TYPE | √ 3 Doors/Sliding |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|--------------|
| CONSUMPTION | 1,90 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ |
| ENERGY LABEL CERTIFICATE | V |

| 1 | SPECIFICATIONS | | |
|---|---------------------|--------------------|--------------------------------|
| | EXTERNAL DIMENSIONS | Width*Depth*Height | 1350x536x840 mm |
| | CAPACITY | Liters (Gross) | 304 |
| | TEMPERATURE | ℃ | +2°C - +10°C |
| | SHELVES | | 6 Adjustable |
| | THERMOSTAT | (Digital-Manual) | Electronic |
| | REFIGERANT | | R600a Environmental friendly |



| | COLORS AVAILABILITY | | |
|---|------------------------|---|----------|
| E | EXTERNAL CABINET COLOR | • | Black |
| | INTERNAL CABINET COLOR | 0 | Aluminum |





Slim Cooler ideal for beverages, sandwiches, sweets, specially designed to fit everywhere.

Including electronic thermostat, Led lighting, & easy to place / adjust shelves.







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| DOOR TYPE | ✓ |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|----------------|
| CONSUMPTION | √ 1.56 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ |
| ENERGY LABEL CERTIFICATE | \checkmark |

| Width*Depth*Height | 420x485x1880 mm |
|--------------------|-------------------------------|
| Liters (Gross) | 220 |
| ℃ | +2°C - +8°C |
| | 6 |
| (Digital-Manual) | Electronic |
| | R600 Environmental friendly |
| | Liters (Gross) ℃ |





| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | | Inox |





Blind Cooler

Cooler for lower energy consumption with blind door.

Including door switch (stops fan upon door opening), electronic thermostat & light switch activated with opening door.







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| DOOR TYPE | ✓ |
| ENERGY LABEL CERTIFICATE | V |

| | TOWARDS LOWER CONUMPTION | |
|---|--------------------------|----------------|
| | CONSUMPTION | √ 1.75 kWh/24h |
| | LIGHT SWITCH | √ Led |
| ı | LOW EMISSIVITY GLASSES | ✓ |
| | ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 595x640x1840 mm |
| CAPACITY | Liters (Gross) | 358 |
| TEMPERATURE | ℃ | +0℃ - +8℃ |
| SHELVES | | 5 Reinforced Adjustable |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R600a Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | 0 | White |





Premium all black beverage cooler with curved door(& glass) and external lighting curved canopy

Including door switch (stops fan upon door opening), special thermal insulated glasses for lower. Consumption & electronic thermostat.







| ЕПІПЛЕОН | |
|--------------------------|---|
| DOOR LOCK | V |
| DOUBLE SAFETY GLASS | ✓ |
| HUMID FREE GLASS | ✓ |
| SELF CLOSING DOOR | V |
| ENERGY LABEL CERTIFICATE | V |

| | TOWARDS LOWER CONUMPTION | |
|---|--------------------------|-------------------|
| ı | CONSUMPTION | √ 1.74 kWh/24h |
| | LIGHT SWITCH | V |
| ı | LOW EMISSIVITY GLASSES | ✓ Low emmisivity |
| | AUTOMATIC FAN STOP | √ When door opens |
| | ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 595x625x1980 mm |
| CAPACITY | Liters (Gross) | 372 |
| TEMPERATURE | ℃ | +2°C - +8°C |
| SHELVES | | 5 Reinforced Adjustable |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R600a Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | • | Black |





Beer Cooler

Subzero cooler with enhanced insulation for reaching temperatures below 0 °C.

Including thermal insulated glasses, Extra strong mechanism & electronic thermostat for accurate temperature set point adjustments.







| | FEATURES | |
|---|--------------------------|---|
| | DOOR LOCK | V |
| | DOUBLE SAFETY GLASS | V |
| | DOOR TYPE | V |
| ı | ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------------|
| CONSUMPTION | √ 4.20 kWh/24h |
| LIGHT SWITCH | V |
| LOW EMISSIVITY GLASSES | ✓ Low Emmisivity |
| AUTOMATIC FAN STOP | √ When door opens |
| ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 595x640x1980 mm |
| CAPACITY | Liters (Gross) | 368 |
| TEMPERATURE | ℃ | -2℃ - +2℃ |
| SHELVES | | 5 Reinforced Adjustable |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R600a Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|---|---------------------------------|
| EXTERNAL CABINET COLOR | • | Black pre-painted metal sheet |
| INTERNAL CABINET COLOR | 0 | White Plastic |





Frameless Cooler

Premium Frameless cooler with extended surface for ideal product display

Heavy usage cooler for commercial needs with thermal insulated glasses for lower consumption, electronical thermostat, led lights, easy to place / adjust shelves and ECO friendly refrigerant.







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| DOOR TYPE | V |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|----------------|
| CONSUMPTION | √ 2.09 kWh/24h |
| LIGHT SWITCH | ✓ |
| LOW EMISSIVITY GLASSES | ✓ |
| ENERGY LABEL CERTIFICATE | V |

| | SPECIFICATIONS | | |
|---|---------------------|--------------------|--------------------------------|
| | EXTERNAL DIMENSIONS | Width*Depth*Height | 595x580x1940 mm |
| | CAPACITY | Liters (Gross) | 380 |
| | TEMPERATURE | ℃ | +0°C - +10°C |
| | SHELVES | | 4 |
| | THERMOSTAT | (Digital-Manual) | Electronic |
| ı | REFIGERANT | | R600a Environmental friendly |



| (| COLORS AVAILABILITY | | |
|---|------------------------|---|-------|
| | EXTERNAL CABINET COLOR | 0 | White |
| | INTERNAL CABINET COLOR | 0 | White |





Frameless Cooler

Premium all black cooler with frameless (no frame) door & Black external top canopy.

Including door switch (stops fan upon door opening), heat insulated glasses for lower consumption & easy to place / adjust shelves.

Suitable for placement in premium outlets.







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| DOOR TYPE | V |
| ENERGY LABEL CERTIFICATE | V |

| | TOWARDS LOWER CONUMPTION | |
|---|--------------------------|----------------|
| ı | CONSUMPTION | √ 2.84 kWh/24h |
| | LIGHT SWITCH | ✓ |
| | LOW EMISSIVITY GLASSES | ✓ |
| , | ENERGY LABEL CERTIFICATE | ✓ |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 620x600x2000 mm |
| CAPACITY | Liters (Gross) | 380 |
| TEMPERATURE | ℃ | +2°C - +8°C |
| SHELVES | | 5 |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R600a Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | • | Black |





Wine Cooler

Wine Cooler with 5 horizontal and 2 incline shelves for better product display.

Including door switch (stops fan upon door opening), special heated insulated glasses for lower Consumption & electronic thermostat.







| | FEATURES | |
|---|--------------------------|---|
| ı | DOOR LOCK | V |
| | DOOR TYPE | V |
| | SELF CLOSING DOOR | ✓ |
| | ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------------------------------|
| CONSUMPTION | √ 2.84 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMMISIVITY GLASSES | ✓ Special thermal insulated glasses |
| LOW EMISSIVITY GLASSES | √ Low emmisivity |
| ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 600×618×1863 mm |
| CAPACITY | Liters (Gross) | 382 |
| TEMPERATURE | ℃ | +8℃ - +18℃ |
| SHELVES | | 7 Adjustable |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R600a Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | • | Black |





Frameless Cooler

CGlass door cooler Beverage cooler without top canopy at 1.8m.

Including heat insulated glasses for lower energy consumption & easy to place / adjust shelves.







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| DOOR TYPE | V |
| ENERGY LABEL CERTIFICATE | V |

| | TOWARDS LOWER CONUMPTION | |
|---|--------------------------|------------------|
| ١ | CONSUMPTION | √ 2.84 kWh/24h |
| | LIGHT SWITCH | √ Led |
| | LOW EMISSIVITY GLASSES | ✓ Low emmisivity |
| | ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 590×610×1800 mm |
| CAPACITY | Liters (Gross) | 382 |
| TEMPERATURE | ℃ | +2°C - +8°C |
| SHELVES | | 5 Reinforced Adjustable |
| THERMOSTAT | (Digital-Manual) | Analogue |
| REFIGERANT | | R600a Environmental friendly |





| | COLORS AVAILABILITY | | ١ | |
|------------------------------------------------------------------|------------------------|-----------------------------------------|-------|---|
| EXTERNAL CABINET COLOR Grey bottom grid & door White cabinet | | Grey bottom grid & door White cabinet | I | |
| | INTERNAL CABINET COLOR | 0 | White |) |





Beverage cooler with external illuminated canopy.

Including internal thermometer display, door switch (stops fan upon door opening), heat insulated glasses for lower consumption & easy to place / adjust shelves.







| FEATURES | |
|--------------------------|------------------------|
| DOOR LOCK | ✓ |
| DOUBLE SAFETY GLASS | V |
| DOOR TYPE | ✓ |
| SELF CLOSING DOOR | ✓ |
| ENERGY LABEL CERTIFICATE | ✓ |
| TEMPERATURE DISPLAY | ✓ Analogue thermometer |

| | TOWARDS LOWER CONUMPTION | |
|---|--------------------------|-------------------|
| ı | CONSUMPTION | √ 2.84 kWh/24h |
| | LIGHT SWITCH | √ Led |
| | LOW EMISSIVITY GLASSES | ✓ Low emmisivity |
| | AUTOMATIC FAN STOP | √ When door opens |
| | ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 600×620×2000 mm |
| CAPACITY | Liters (Gross) | 382 |
| TEMPERATURE | ℃ | +2℃ - +8℃ |
| SHELVES | | 5 Reinforced Adjustable |
| THERMOSTAT | (Digital-Manual) | Analogue |
| REFIGERANT | | R600a Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|----|-----------------------------------------|
| EXTERNAL CABINET COLOR | •0 | Grey bottom grid & door White cabinet |
| INTERNAL CABINET COLOR | 0 | White |





Premium all black beverage cooler with curved door (&glass) and external illuminated curved canopy.

Including door switch (stops fan upon door opening), special thermal insulated glasses for lower Consumption & electronic thermostat.







| | FEATURES | |
|---|--------------------------|---|
| ı | DOOR LOCK | V |
| | DOUBLE SAFETY GLASS | V |
| | DOOR TYPE | ✓ |
| | ENERGY LABEL CERTIFICATE | V |

| | TOWARDS LOWER CONUMPTION | |
|---|--------------------------|-------------------|
| ı | CONSUMPTION | √ 3.67 kWh/24h |
| | LIGHT SWITCH | √ Led |
| | LOW EMISSIVITY GLASSES | ✓ Low emmisivity |
| | AUTOMATIC FAN STOP | √ When door opens |
| | ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | | |
|----------------|---------------------|--------------------|--------------------------------|
| | EXTERNAL DIMENSIONS | Width*Depth*Height | 680×660×2090 mm |
| | CAPACITY | Liters (Gross) | 500 |
| | TEMPERATURE | ℃ | +2℃ - +8℃ |
| | SHELVES | | 5 Reinforced Adjustable |
| ı | THERMOSTAT | | Electronic |
| | REFIGERANT | | R600a Environmental friendly |



| (| COLORS AVAILABILITY | | |
|---|------------------------|---|-------|
| | EXTERNAL CABINET COLOR | • | Black |
| | INTERNAL CABINET COLOR | • | Black |





Subzero / Beer cooler

Subzero cooler reaching temperatures below -3°C.

Including heat insulated glasses, heating element for automatic / fast Defrost & electronic thermostat for accurate Temperature set point adjustments.







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| DOUBLE SAFETY GLASS | V |
| DOOR TYPE | V |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|------------------|
| CONSUMPTION | √ 2.10 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ Low emmisivity |
| ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 565x610x2025 mm |
| CAPACITY | Liters (Gross) | 425 |
| TEMPERATURE | ℃ | -2℃ - +2℃ |
| SHELVES | | 4 Reinforced Adjustable |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R600a Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|-----|------------------------------------------|
| EXTERNAL CABINET COLOR | • 0 | Black bottom grid & door White cabinet |
| INTERNAL CABINET COLOR | 0 | White |





Beer Cooler

Beer Cooler with reinforced insulation & mechanism for temperatures below 0°C With door switch (stops the fan with the opening of the door) and special heat-insulating glasses for lower consumption & electronic thermostat.







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| DOUBLE SAFETY GLASS | V |
| DOOR TYPE | V |
| ENERGY LABEL CERTIFICATE | V |

| | TOWARDS LOWER CONUMPTION | |
|---|--------------------------|-------------------|
| ı | CONSUMPTION | √ 6.00 kWh/24h |
| н | LIGHT SWITCH | √ Led |
| н | LOW EMISSIVITY GLASSES | √ Low emmisivity |
| п | AUTOMATIC FAN STOP | √ When door opens |
| н | ENERGY LABEL CERTIFICATE | v |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 680×655×2090 mm |
| CAPACITY | Liters (Gross) | 469 |
| TEMPERATURE | ℃ | -2℃ - +2℃ |
| SHELVES | | 5 Reinforced Adjustable |
| THERMOSTAT | | Electronic |
| REFIGERANT | | R600a Environmental friendly |



| (| COLORS AVAILABILITY | | |
|---|------------------------|---|-------|
| | EXTERNAL CABINET COLOR | • | Black |
| | INTERNAL CABINET COLOR | 0 | White |





Premium all black cooler with a Black external top canopy.

Including door switch (stops fan upon door opening), heat insulated glasses for lower consumption & easy to place / adjust shelves.

Suitable for placement in any premium outlet.

OPTIONAL
Electronic
Thermostat







| FEATURES | | |
|----------|--------------------------|---|
| | DOOR LOCK | V |
| | DOUBLE SAFETY GLASS | ✓ |
| | DOOR TYPE | V |
| | SELF CLOSING DOOR | ✓ |
| | ENERGY LABEL CERTIFICATE | ✓ |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------------|
| CONSUMPTION | √ 3.67 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ Low emmisivity |
| AUTOMATIC FAN STOP | √ When door opens |
| ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 685×650×2120 mm |
| CAPACITY | Liters (Gross) | 519 |
| TEMPERATURE | ℃ | +2°C - +8°C |
| SHELVES | | 5 Reinforced Adjustable |
| THERMOSTAT | (Digital-Manual) | Analogue |
| REFIGERANT | | R600a Environmental friendly |



| (| COLORS AVAILABILITY | | |
|---|------------------------|---|-------|
| | EXTERNAL CABINET COLOR | • | Black |
| | INTERNAL CABINET COLOR | • | Black |





Premium all black beverage cooler

Including door switch (stops fan upon door opening), special thermal insulated glasses for lower Consumption & electronic thermostat







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| DOOR TYPE | ✓ |
| DOUBLE SAFETY GLASS | ✓ |
| ENERGY LABEL CERTIFICATE | V |

| | TOWARDS LOWER CONUMPTION | |
|---|--------------------------|-------------------|
| ı | CONSUMPTION | √ 4.20 kWh/24h |
| | LIGHT SWITCH | √ Led |
| | LOW EMISSIVITY GLASSES | ✓ Low emmisivity |
| | AUTOMATIC FAN STOP | √ When door opens |
| | ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 800×710×2130 mm |
| CAPACITY | Liters (Gross) | 655 |
| TEMPERATURE | ℃ | +2°C - +8°C |
| SHELVES | | 5 Reinforced Adjustable |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290a Environmental friendly |





| COLORS AVAILABILITY | Black White | BIACK WHITE |
|------------------------|---------------|---------------|
| EXTERNAL CABINET COLOR | • 0 | Black White |
| INTERNAL CABINET COLOR | • 0 | Black White |



A double (Hinged) glass door cooler Cooler with external top luminated canopy.

Including special thermal insulated glasses for lower consumption, led lighting, electronic thermostat.







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| DOUBLE SAFETY GLASS | V |
| DOOR TYPE | V |
| SELF CLOSING DOOR | V |
| ENERGY LABEL CERTIFICATE | V |

| | TOWARDS LOWER CONUMPTION | |
|---|--------------------------|------------------|
| ı | CONSUMPTION | √ 3.24 kWh/24h |
| | LIGHT SWITCH | √ Led |
| ı | DOORS | √ 2 doors/Hinged |
| | SELF CLOSING DOOR | ✓ |
| | LOW EMISSIVITY GLASSES | √ Low emmisivity |
| | ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1120×585×1900 mm |
| CAPACITY | Liters (Gross) | 825 |
| TEMPERATURE | ℃ | +2°C - +8°C |
| SHELVES | | 5 (Black color) |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R134a Environmental friendly |




| COLORS AVAILABILITY | | |
|------------------------|---|---------------------------------|
| EXTERNAL CABINET COLOR | • | Black (pre-painted metal sheet) |
| INTERNAL CABINET COLOR | 0 | White (pre-painted Aluminium) |



A Double (sliding) glass door

Including special insulated glasses for lower consumption & open door stand position for Practical / faster refill.





Thermostat







| FEATURES | |
|--------------------------|----------|
| DOOR LOCK | ✓ |
| DOUBLE SAFETY GLASS | V |
| DOOR TYPE | V |
| SELF CLOSING DOOR | V |
| ENERGY LABEL CERTIFICATE | √ |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|------------------|
| CONSUMPTION | √ 5.49 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ Low emmisivity |
| ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1100×680×2000 mm |
| CAPACITY | Liters (Gross) | 852 |
| TEMPERATURE | ℃ | +2°C - +8°C |
| SHELVES | | 4 Reinforced Adjustable |
| THERMOSTAT | (Digital-Manual) | Analogue |
| REFIGERANT | | R290a Environmental friendly |





| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | 0 | White |



Double (Hinged) glass door cooler with external top canopy.

Including door switch (stops fan upon door opening), special heat insulated glasses for lower consumption & easy shelves placement / positioning).



OPTIONAL

Electronic Thermostat







| FEATURES | |
|--------------------------|----------|
| DOOR LOCK | ✓ |
| DOUBLE SAFETY GLASS | ✓ |
| DOOR TYPE | V |
| SELF CLOSINGDOOR | V |
| ENERGY LABEL CERTIFICATE | ✓ |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------------|
| CONSUMPTION | √ 6.87 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ Low emmisivity |
| AUTOMATIC FAN STOP | √ When door opens |
| ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1100×730×2000 mm |
| CAPACITY | Liters (Gross) | 962 |
| TEMPERATURE | ℃ | +2°C - +8°C |
| SHELVES | | 4 Reinforced Adjustable |
| THERMOSTAT | (Digital-Manual) | Analogue |
| REFIGERANT | | R290a Environmental friendly |



| COLORS AVAILABILITY | Black White | BIACK WHITE | |
|------------------------|---------------|-----------------------------|-----------------|
| EXTERNAL CABINET COLOR | •• • | Black White with black gr | id & door frame |
| INTERNAL CABINET COLOR | 0 0 | White White | |



Grocery cooler

A Double (Hinged) glass door cooler with external top luminated canopy.

Including thermal insulated glasses for lower consumption , led lighting, electronic thermostat.







| FEATURES | |
|--------------------------|----------|
| DOOR LOCK | V |
| DOUBLE SAFETY GLASS | V |
| DOOR TYPE | ✓ |
| SELF CLOSING DOOR | ✓ |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------------|
| CONSUMPTION | √ 6.87 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ Low emmisivity |
| AUTOMATIC FAN STOP | √ When door opens |
| ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1100×730×2000 mm |
| CAPACITY | Liters (Gross) | 962 |
| TEMPERATURE | ℃ | +2°C - +8°C |
| SHELVES | | 4 Reinforced Adjustable |
| THERMOSTAT | (Digital-Manual) | Analogue |
| REFIGERANT | | R290a Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|---|------------------------------------|
| EXTERNAL CABINET COLOR | • | Black bottom grid door cabinet |
| INTERNAL CABINET COLOR | 0 | White |





A Double (Hinged) glass door cooler with external top luminated canopy.

Including thermal insulated glasses for lower consumption, led lighting, electronic thermostat.







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| DOUBLE SAFETY GLASS | ✓ |
| DOOR TYPE | ✓ |
| SELF CLOSING DOOR | ✓ |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|--------------|
| CONSUMPTION | 4,20 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ |
| ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1330x760x1998 mm |
| CAPACITY | Liters (Gross) | 1400 |
| TEMPERATURE | ℃ | +2°C - +8°C |
| SHELVES | | 5+5 Reinforced |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290 |






| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | • | Black |







Including smart electronic thermostat for exact temperature set point adjustment & an energy saving mode (Turn off lights + increase cabinet temperature), activated when needed. Also includes door switch (stops fan upon door opening), special heat insulated glasses for lower consumption & easy shelves placement / positioning) Suitable for placement in any premium outlet.







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| DOUBLE SAFETY GLASS | V |
| DOOR TYPE | V |
| SELF CLOSING DOOR | V |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------------|
| CONSUMPTION | √ 5.22 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | √ Low emmisivity |
| AUTOMATIC FAN STOP | √ When door opens |
| ENERGY LABEL CERTIFICATE | V |

| | SPECIFICATIONS | | |
|---|---------------------|--------------------|---------------------------------------------|
| | EXTERNAL DIMENSIONS | Width*Depth*Height | 1600×736×2042 mm |
| | CAPACITY | Liters (Gross) | 1455 |
| | TEMPERATURE | ℃ | +2°C - +8°C |
| | SHELVES | | 12 (3 per door) Reinforced Adjustable |
| | THERMOSTAT | (Digital-Manual) | Electronic (With energy saving mode) |
| (| REFIGERANT | | R290 |



| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | • | Black |





Premium Triple (Hinged) glass door cooler without external top canopy.

Including smart electronic thermostat for exact temperature set point adjustment & an energy saving mode (Turn off lights + increase cabinet temperature), activated when needed. Also includes door switch (stops fan upon door opening), special heat insulated glasses for lower consumption & easy shelves placement / positioning) Suitable for placement in any premium outlet.







| FEATURES | |
|--------------------------|----------|
| DOOR LOCK | ✓ |
| DOUBLE SAFETY GLASS | ✓ |
| DOOR TYPE | V |
| SELF CLOSING DOOR | V |
| ENERGY LABEL CERTIFICATE | v |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------------|
| CONSUMPTION | √ 5.22 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | √ Low emmisivity |
| AUTOMATIC FAN STOP | √ When door opens |
| ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|---------------------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1600×730×2122 mm |
| CAPACITY | Liters (Gross) | 1455 |
| TEMPERATURE | ℃ | +2°C - +8°C |
| SHELVES | | 12 (3 per door) Reinforced Adjustable |
| THERMOSTAT | (Digital-Manual) | Electronic (With energy saving mode) |
| REFIGERANT | | R290 |



| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | • | Black |
| INTERNAL CABINET COLOR | • | Black |





Counter cooler with 2 doors.

With a static cooling performance (cooling element inside cabinet walls) & no internal fan.

Electronic thermostat for exact temperature set point adjustment.
This model can work up to -8C.







| FEATURES | |
|----------------------------|-------------------------|
| STATIC COOLING | ✓ Cooling cabinet walls |
| WIDE TEMP. SET POINT RANGE | ✓ Abjustable |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------|
| CONSUMPTION | √ 2 kWh/24h |
| NO INTERNAL FAN | ✓ |
| ENERGY LABEL CERTIFICATE | ✓ |

| | SPECIFICATIONS | | |
|---|---------------------|--------------------|--------------------------------|
| | EXTERNAL DIMENSIONS | Width*Depth*Height | 1500 x 620 x 800 mm |
| ı | CAPACITY | Liters (Gross) | 208 |
| ı | TEMPERATURE | ℃ | -8℃ - +8℃ |
| ı | SHELVES | | 1 Abjustable |
| ı | THERMOSTAT | (Digital-Manual) | Electronic |
| | REFIGERANT | | R600a Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|-----|------|
| EXTERNAL CABINET COLOR | 0 | Inox |
| INTERNAL CABINET COLO | R 🔘 | Inox |





Counter cooler with 3 doors.

With a static cooling performance (cooling element inside cabinet walls) & no internal fan.

Electronic thermostat for exact temperature set point adjustment.

This model can work up to -8C.

| FEATURES | |
|----------------------------|-------------------------|
| STATIC COOLING | √ Cooling cabinet walls |
| WIDE TEMP. SET POINT RANGE | √ Abjustable |
| ENERGY LABEL CERTIFICATE | V |







| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------|
| CONSUMPTION | √ 2 kWh/24h |
| NO INTERNAL FAN | ✓ |
| ENERGY LABEL CERTIFICATE | V |

| | SPECIFICATIONS | | |
|-----------|---------------------|--------------------|--------------------------------|
| | EXTERNAL DIMENSIONS | Width*Depth*Height | 1800 x 620 x 800 mm |
| | CAPACITY | Liters (Gross) | 280 |
| | TEMPERATURE | ℃ | -8℃ - +8℃ |
| SHELVES 1 | | | 1 Adjustable |
| | THERMOSTAT | (Digital-Manual) | Electronic |
| | REFIGERANT | | R600a Environmental friendly |



| COLORS AVAILABILITY | | | |
|------------------------|---|--------|--|
| EXTERNAL CABINET COLOR | • | Inox | |
| INTERNAL CABINET COLOR | 0 | lnox / | |







Horizontal static freezer with 2 sliding glass lids.

This model does not include ILLUMINATION & baskets inside Including special heat insulated glasses for lower consumption & temperature thermometer display.







| (| FEATURES | |
|---|--------------------------|------------------------|
| | DOOR LOCK | ✓ |
| | SAFETY GLASS | ✓ |
| | DOOR TYPE | ✓ |
| | ENERGY LABEL CERTIFICATE | ✓ |
| | DISPLAY TEMPERATURE | ✓ Analogue thermometer |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|------------------|
| CONSUMPTION | √ 5.41 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | √ Low emmisivity |
| ENERGY LABEL CERTIFICATE | v |

| SPECIFICATIONS | | |
|---------------------------|--------------------|----------------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 2050 x 630 x 830 mm (including wheels) |
| CAPACITY Liters (Gross) 6 | | 672 |
| TEMPERATURE °C ≤ | | ≤-18°C |
| SHELVES | | |
| THERMOSTAT | (Digital-Manual) | Analogue |
| REFIGERANT | | R290 Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|---|----------|
| EXTERNAL CABINET COLOR | 0 | White |
| INTERNAL CABINET COLOR | • | Aluminum |







Horizontal static freezer with 2 sliding glass lids.

This model includes Led ILLUMINATION & baskets inside. Including special heat insulated glasses for lower consumption & temperature thermometer display.







| FEATURES | |
|--------------------------|------------------------|
| DOOR LOCK | V |
| SAFETY GLASS | ✓ |
| DOOR TYPE | V |
| ENERGY LABEL CERTIFICATE | ✓ |
| DISPLAY TEMPERATURE | ✓ Analogue thermometer |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|------------------|
| CONSUMPTION | √ 5.41 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | √ Low emmisivity |
| ENERGY LABEL CERTIFICATE | v |

| SPECIFICATIONS | | |
|---------------------|--------------------|----------------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 2050 x 630 x 830 mm (including wheels) |
| CAPACITY | Liters (Gross) | 672 |
| TEMPERATURE | ℃ | ≤-18°C |
| SHELVES | | 6 |
| THERMOSTAT | (Digital-Manual) | Analogue |
| REFIGERANT | | R290 Environmental friendly |



| COLORS AVAILABIL | ITY | | |
|--------------------|---------|----------|--|
| EXTERNAL CABINET (| COLOR O | White | |
| INTERNAL CABINET | COLOR 🔘 | Aluminum | |





Horizontal static freezer with 2 sliding curved glass lids.

This model includes LED illumination & baskets inside. Including special thermal insulated glasses for lower consumption. Curved Chest freezer for better product display.







| FEATURES | |
|--------------------------|---|
| DOOR LOCK | ✓ |
| CURVED GLASSES | V |
| SAFETY GLASS | V |
| DOOR TYPE | ✓ |
| ENERGY LABEL CERTIFICATE | V |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|------------------|
| CONSUMPTION | √ 6.87 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ Low emmisivity |
| ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|----------------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 1475 x 757 x 858 mm (including wheels) |
| CAPACITY | Liters (Gross) | 500 |
| TEMPERATURE | ℃ | ≤-18°C |
| SHELVES | | 5 Reinforced |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290 Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | 0 | White |
| INTERNAL CABINET COLOR | 0 | White |





Horizontal static freezer with 2 sliding curved glass lids.

This model includes LED illumination & baskets inside. Including special thermal insulated glasses for lower consumption. Curved Chest freezer for better product display.

| FEATURES | |
|--------------------------|---|
| DOOR LOCK | V |
| CURVED GLASSES | V |
| SAFETY GLASS | V |
| DOOR TYPE | V |
| ENERGY LABEL CERTIFICATE | V |







| TOWARDS LOWER CONUMPTION | |
|--------------------------|------------------|
| CONSUMPTION | √ 6.87 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ Low emmisivity |
| ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | | |
|---------------------|--------------------|----------------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 2000 x 757 x 858 mm (including wheels) |
| CAPACITY | Liters (Gross) | 700 |
| TEMPERATURE | ℃ | ≤-18°C |
| SHELVES | | 6 Reinforced |
| THERMOSTAT | (Digital-Manual) | Electronic |
| REFIGERANT | | R290 Environmental friendly |



| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | 0 | White |
| INTERNAL CABINET COLOR | 0 | White |





Vertical glass door freezer

Vertical static freezer with fixed (Not adjustable)shelves.

Including door switch (stops fan upon door opening), heat insulated + heated glasses for lower consumption / humid free performance while incorporates easy to place / adjust shelves.







| FEATURES | |
|--------------------------|------------------------|
| DOOR LOCK | V |
| HEATED GLASSES | V |
| DOOR TYPE | √ |
| SELF CLOSING DOOR | V |
| ENERGY LABEL CERTIFICATE | V |
| DISPLAY TEMPERATURE | √ ANALOGUE THERMOMETER |

| | TOWARDS LOWER CONUMPTION | |
|---|--------------------------|-------------------|
| | CONSUMPTION | √ 13.00 kWh/24h |
| | LIGHT SWITCH | √ Led |
| ı | LOW EMISSIVITY GLASSES | ✓ Low emmisivity |
| ı | AUTOMATIC FAN STOP | √ When door opens |
| ı | ENERGY LABEL CERTIFICATE | V |

| SPECIFICATIONS | | |
|---------------------|--------------------|--------------------------------|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 640 x 670 x 1875 mm |
| CAPACITY | Liters (Gross) | 374 |
| TEMPERATURE | ℃ | -18℃24℃ |
| SHELVES | | 5 Not adjustable shelves |
| THERMOSTAT | (Digital-Manual) | Analogue |
| REFIGERANT | | R290a Environmental friendly |





| COLORS AVAILABILITY | | |
|------------------------|-----|------------------------------------------|
| EXTERNAL CABINET COLOR | • 0 | Black bottom grid & door White cabinet |
| INTERNAL CABINET COLOR | 0 | White |





Vertical glass door freezer

Vertical ventilated freezer with adjustable shelves.

Including door switch (stops fan upon door opening), heat insulated + heated glasses for lower consumption / humid free Performance.

Also includes 2 vertical sets of Led (Left/Right) for enhanced products ILLUMINATION & Smart Electronic thermostat for exact set point adjustment.







| FEATURES | |
|--------------------------|----------|
| DOOR LOCK | V |
| HEATED DOOR GLASSES | V |
| DOOR TYPE | ✓ |
| SELF CLOSING DOOR | ✓ |
| ENERGY LABEL CERTIFICATE | √ |
| | |

| TOWARDS LOWER CONUMPTION | |
|--------------------------|-------------------|
| CONSUMPTION | √ 14.44 kWh/24h |
| LIGHT SWITCH | √ Led |
| LOW EMISSIVITY GLASSES | ✓ Low emmisivity |
| AUTOMATIC FAN STOP | √ When door opens |
| ENERGY LABEL CERTIFICATE | √ |

| SPECIFICATIONS | SPECIFICATIONS | | | | |
|---------------------|--------------------|-------------------------------|--|--|--|
| EXTERNAL DIMENSIONS | Width*Depth*Height | 670 x 710 x 2026 mm | | | |
| CAPACITY | Liters (Gross) | 470 | | | |
| TEMPERATURE | ℃ | -18℃24℃ | | | |
| SHELVES | | 6 Reinforced Adjustable | | | |
| THERMOSTAT | (Digital-Manual) | Electronic | | | |
| REFIGERANT | | R290 Environmental friendly | | | |



| COLORS AVAILABILITY | | |
|------------------------|---|-------|
| EXTERNAL CABINET COLOR | 0 | White |
| INTERNAL CABINET COLOR | 0 | White |